EB-695Wi



DATASHEET / BROCHURE



HD-ready innovative teaching solution with a large scalable screen size of up to 100 inches, designed to enhance collaborative learning.

With a brightness of 3,500 lumens and HD-readyWXGA resolution, the EB-695Wi's ultra-short-throw design allows you to present large images from a very short distance with minimised shadows and glare. This projector offers ultimate interactivity by combining finger-touch with dual pen capability. A 14,000:1 contrast ratio and HDMI input mean that students benefit from sharp, clear images.

High brightness and image quality

Epson's 3LCD technology ensures high-quality images with equally high White and Colour Light Output for vivid colours and bright images, even in daylight, and three times brighter colours than leading competitive projectors¹. With a scalable display size of up to 100 inches, two types of content can be displayed using the split-screen without compromising on quality.

Finger-touch and dual pen

Use your fingers to annotate directly onto the screen. Epson's interactive pens are now even more responsive and easy to use. With the new dual pens, teacher and student or two students can work simultaneously using different attributes.

Highly reliable

Project for longer with improved reliability and a longer lamp life of up to 10,000 hours in eco mode.

Interact and enhance learning

Multi-PC projection software allows teachers and students to share content simultaneously. The moderator function allows teachers to remain in control, choosing what content to display. Combine two projectors to create one large interactive display. Split-screen capability allows teachers to display two separate types of content simultaneously, such as a lesson plan from a PC and a still image or video clip from a document camera.

Optional wireless capability

Wirelessly display content easily from a range of smart devices and Google Chromebooks using our iProjection App².

KEY FEATURES

- Up to 100-inch display and outstanding quality HD-ready WXGA resolution with Epson 3LCD technology
- Finger-touch and dual pen Use your fingers to annotate directly onto the screen
- Highly Reliable Improved reliability and a longer lamp life
- Multi-screen interactivity Combine two projectors to create one large interactive display
- Wireless Connectivity (Optional) Allows content to be shown from a range of devices



PRODUCT SPECIFICATIONS

TECHNOLOGY		
Projection System	3LCD Technology	
LCD Panel	0.59 inch with D9	
MAGE	0.500	
Color Light Output	3,500 Lumen- 2,900 Lumen (economy) In accordance with IDMS15.4	
White Light Output	3,500 Lumen - 2,900 Lumen (economy) In accordance with ISO 21118:2020	
Resolution High Definition	WXGA 2	
•	HD ready 16:10	
Aspect Ratio Contrast Ratio	14.000 : 1	
Light source	Lamp	
Lamp	250 W, 5,000 h durability, 10,000 h durability (economy mode), 9,000 h durability (economy	
Lamp	mode)	
Keystone Correction	Manual vertical: ± 3 °, Manual horizontal ± 3 °	
Colour Video Processing	10 Bits	
2D Vertical Refresh Rate	100 Hz - 120 Hz	
Colour Reproduction	Upto 1.07 billion colours	
	·	
OPTICAL		
Throw Ratio	0.28 - 0.37:1	
Zoom	Digital, Factor: 1 - 1.35	
Lens	Optical	
Screen Size	60 inches - 100 inches	
Projection Distance Wide	0.4 m (60 inch screen	
Projection Distance Tele	0.6 m (100 inch screen	
Projection Lens F Number	1.6	
Projection Lens Focal Length		
Projection Lens Focus Offset	Manual 6 : 1	
	0.1	
CONNECTIVITY		
USB Display Function	3 in 1: Image / Mouse / Sound	
nterfaces		
interlaces	USB 2.0-A, USB 2.0, RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), Wireless LAN	
interfaces	IEEE 802.11b/g/n (optional), VGA in (2x), VGA out, HDMI in (3x), Composite in, RGB in (2x),	
	IEEE 802.11b/g/n (optional), VGA in (2x), VGA out, HDMI in (3x), Composite in, RGB in (2x), RGB out, MHL, Jack plug out, Jack plug in (3x), Microphone input, Sync. in, Sync. out	
	IEEE 802.11b/g/n (optional), VGA in (2x), VGA out, HDMI in (3x), Composite in, RGB in (2x),	
Epson iProjection App	IEEE 802.11b/g/n (optional), VGA in (2x), VGA out, HDMI in (3x), Composite in, RGB in (2x), RGB out, MHL, Jack plug out, Jack plug in (3x), Microphone input, Sync. in, Sync. out	
Epson iProjection App	IEEE 802.11b/g/n (optional), VGA in (2x), VGA out, HDMI in (3x), Composite in, RGB in (2x), RGB out, MHL, Jack plug out, Jack plug in (3x), Microphone input, Sync. in, Sync. out	
Epson iProjection App	IEEE 802.11b/g/n (optional), VGA in (2x), VGA out, HDMI in (3x), Composite in, RGB in (2x), RGB out, MHL, Jack plug out, Jack plug in (3x), Microphone input, Sync. in, Sync. out Ad-Hoc / Infrastructure	
Epson iProjection App	IEEE 802.11b/g/n (optional), VGA in (2x), VGA out, HDMI in (3x), Composite in, RGB in (2x), RGB out, MHL, Jack plug out, Jack plug in (3x), Microphone input, Sync. in, Sync. out Ad-Hoc / Infrastructure Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless	
Epson iProjection App ADVANCED FEATURES Security	IEEE 802.11b/g/n (optional), VGA in (2x), VGA out, HDMI in (3x), Composite in, RGB in (2x), RGB out, MHL, Jack plug out, Jack plug in (3x), Microphone input, Sync. in, Sync. out Ad-Hoc / Infrastructure Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection	
Epson iProjection App ADVANCED FEATURES Security 2D Colour Modes	IEEE 802.11b/g/n (optional), VGA in (2x), VGA out, HDMI in (3x), Composite in, RGB in (2x), RGB out, MHL, Jack plug out, Jack plug in (3x), Microphone input, Sync. in, Sync. out Ad-Hoc / Infrastructure Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection Dynamic, Cinema, Presentation, sRGB, Blackboard	
Epson iProjection App ADVANCED FEATURES Security 2D Colour Modes	IEEE 802.11b/g/n (optional), VGA in (2x), VGA out, HDMI in (3x), Composite in, RGB in (2x), RGB out, MHL, Jack plug out, Jack plug in (3x), Microphone input, Sync. in, Sync. out Ad-Hoc / Infrastructure Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection Dynamic, Cinema, Presentation, sRGB, Blackboard AV Mute Slide, Auto brightness adjustment, Automatic input selection, Built-in speaker, CEC	
Epson iProjection App ADVANCED FEATURES Security 2D Colour Modes	IEEE 802.11b/g/n (optional), VGA in (2x), VGA out, HDMI in (3x), Composite in, RGB in (2x), RGB out, MHL, Jack plug out, Jack plug in (3x), Microphone input, Sync. in, Sync. out Ad-Hoc / Infrastructure Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection Dynamic, Cinema, Presentation, sRGB, Blackboard AV Mute Slide, Auto brightness adjustment, Automatic input selection, Built-in speaker, CEC compatible, Customizable user logo, Digital zoom, Direct Power on/off, Document Camera	
Epson iProjection App ADVANCED FEATURES Security 2D Colour Modes	IEEE 802.11b/g/n (optional), VGA in (2x), VGA out, HDMI in (3x), Composite in, RGB in (2x), RGB out, MHL, Jack plug out, Jack plug in (3x), Microphone input, Sync. in, Sync. out Ad-Hoc / Infrastructure Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection Dynamic, Cinema, Presentation, sRGB, Blackboard AV Mute Slide, Auto brightness adjustment, Automatic input selection, Built-in speaker, CEC compatible, Customizable user logo, Digital zoom, Direct Power on/off, Document Camera Compatible, Dual Pen Support, Dynamic lamp control, Easy OSD pre-setting, Home Screen,	
Epson iProjection App ADVANCED FEATURES Security 2D Colour Modes	IEEE 802.11b/g/n (optional), VGA in (2x), VGA out, HDMI in (3x), Composite in, RGB in (2x), RGB out, MHL, Jack plug out, Jack plug in (3x), Microphone input, Sync. in, Sync. out Ad-Hoc / Infrastructure Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection Dynamic, Cinema, Presentation, sRGB, Blackboard AV Mute Slide, Auto brightness adjustment, Automatic input selection, Built-in speaker, CEC compatible, Customizable user logo, Digital zoom, Direct Power on/off, Document Camera Compatible, Dual Pen Support, Dynamic lamp control, Easy OSD pre-setting, Home Screen, Interactive, Long lamp life, MHL audio/video interface, Microphone input, Multi-screen	
Epson iProjection App ADVANCED FEATURES Security 2D Colour Modes Other features	IEEE 802.11b/g/n (optional), VGA in (2x), VGA out, HDMI in (3x), Composite in, RGB in (2x), RGB out, MHL, Jack plug out, Jack plug in (3x), Microphone input, Sync. in, Sync. out Ad-Hoc / Infrastructure Kensington lock, Control panel lock, Password lock, Padlock, Security cable hole, Wireless LAN unit lock, Wireless LAN security, Password protection Dynamic, Cinema, Presentation, sRGB, Blackboard AV Mute Slide, Auto brightness adjustment, Automatic input selection, Built-in speaker, CEC compatible, Customizable user logo, Digital zoom, Direct Power on/off, Document Camera Compatible, Dual Pen Support, Dynamic lamp control, Easy OSD pre-setting, Home Screen, Interactive, Long lamp life, MHL audio/video interface, Microphone input, Multi-screen interactivity, PC Interactive, Split-Screen-Function	

EB-695Wi

T'S IN THE BOX

- ractive pens
- ver cable
- note control incl. batteries
- 3 cable
- ger touch unit
- Manual
- tray
- ck Start Guide
- I hanging bracket
- rranty card
- er Manual (CD-ROM)
- n unit
- ety Cable



PRODUCT SPECIFICATIONS

EB-695Wi

GENERAL		
Power consumption	301 Watt - On mode power consumption (Normal)	
	354 Watt (Peak), 309 Watt (Eco), 0.37 Watt (Energy saving standby)	
Supply Voltage	AC 100 V - 240 V, 50 Hz - 60 Hz	
Product dimensions 367 x 400 x 149 mm (Width x Depth x Height)		
Product weight	oduct weight 5.8 kg	
bise Level Normal: 35 dB (A) - Economy: 30 dB (A) - Eco2: 29 dB (A)		
Supported Temperature Operation 5° C - 40° C, Storage -10° C - 60,000° C		
Supported Humidity	Operation 20% - 80%, Storage 10% - 90%	
	If the projector is suspended from a ceiling or wall mount and installed in an environment with	
	heavy oil smoke or places where oils or chemicals are volatilized, places where a lot of smoke	
	or bubbles are used for event staging, or where aroma oils are frequently burned, it can make	
	certain parts of our products susceptible to a material degradation which over time could	
	break and cause the projector to drop from the ceiling.	
	If you are concerned about the environment in which your projector is installed, or if you have	
	any other questions, please contact our support department and they can provide additional assistance.	
Included Software	Easy Interactive Tools, EasyMP Multi PC Projection, Epson Projector Management	
Options	Air filter ELPAF38, Connection and control box, Document camera, External Speaker, Pen	
	tip(Felt), Pen tip(Teflon), Wireless LAN unit	
Compatible Operating	Linux, Mac OS 10.10.x, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Ubuntu 14.10, Ubuntu	
Systems	15.04, Ubuntu 15.10, Ubuntu 16.04 LTS, Windows 10, Windows 8, Windows 8.1	
Loudspeaker	16 Watt	
Room Type / Application	Meeting room / Classroom	
Positioning	Wall Mounted	
Colour	White / Grey	
TCO Certified	For further information relating to TCO Certified please visit	
	https://tcocertified.com/files/certification/Information-document-for-end-users.pdf	
OTHER		
Warranty	60 months Carry in or 8,000 h, Lamp: 60 months or 1,000 h	
	Optional warranty extension available	



OPTIONAL ACCESSORIES

- ELPLP91
- V13H010L91
- Wireless LAN Adapter ELPAP10 V12H731P01
- Active Speakers (2 x 15W) ELPSP02 V12H467040DA
- Active Speakers (2 x 15W) ELPSP02 V12H467040
- Control and Connection Box ELPCB02 V12H614040
- Air Filter ELPAF49
- V13H134A49
- Interactive Pen ELPPN05A Orange EB-6xxWi/Ui / 14xxUi V12H773010
- Interactive Pen ELPPN05B Blue EB-6xxWi/Ui / 14xxUi V12H774010
- Replacement Hard Pen Tip ELPPS03 (6pcs) V12H775010

LOGISTICS INFORMATION

SKU	V11H740040 V11H740041
EAN code	8715946605135
Country of Origin	Philippines
Layer	2 Units

EB-695Wi



SYNC AV d.o.o. Celovška cesta 172 1000 Ljubljana Slovenia info@sync-av.com

* Warranty offers are not available for all countries. Please contact your local Epson representative.

through May 2014 and PMA Research data for Q1 through Q3 10 (0,12 /min) Luxembourg +352 27860692 Middle East +9714 8872172 Netherlands +31 (0)20 708 5099 Norway through May 2014 and PMA Research data for Q1 through Q3 +47 67 11 37 00 Poland 0-0-800 4911299 (0,16 zl/min) Portugal 707 222 111 Russia (095) 777-03-55 Slovakia 0850 111 429 South Africa (+2711)

465-9621 Spain 93 582 15 00 Sweden 0771-400135 (Mobilsamtal - 0,99 kr/min, Lokala samtal - 0,30 kr/min, Utlandssamtal - 0,89 kr/min)

Switzerland 022 592 7923 Turkey (0212) 3360303 United Kingdom 0871 222 6702

in accordance with IDMS 15.4. Colour Brightness will vary depending on usage conditions. Leading Epson 3LCD business and education projectors compared to leading one-chip DLP projectors, based on NPD data for June 2013 2013. For more information please visit www.epson.eu/CLO 2. - iProjection App available on Android and iOS devices, and Google Chromebooks.

1. - Colour Brightness (Colour Light Output) measured



Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice.

For further information please contact your local Epson office or visit www.epson-europe.com Austria 01 253 49 78 333 Belgium +32 (0)2 792 04 47 Czech 800/142 052 Denmark 44 50 85 85 Finland 0201 552 091 France 09 74 75 04 04

⁽Cost of local call, operator charges may apply) Germany +49 (0) 2159/92 79 500 Greece +30 211 198 62 12 Hungary 06800 147 83 Ireland 01 436 7742